CERTIFICATE OF MAILING
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Assistant Commissioner for Patents, Washington, D.C.

20231

on

Date

Signature

Typed or printed name of person signing certificate

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents Washington, D.C. 20231

| Sir: This | Information Disclosure Statement is submitted: | |
|--------------|--|----------------------|
| [] | under 37 CFR 1.129(a), or (First/Second submission after Final Rejection) | |
| [X] | under 37 CFR 1.97(b), or (Within any one of the following time periods: three months of filing national application (other than a CPA) or stage in an international application; or before the mailing date of a first office action on the merits in a non-prov CPA, or a Request for Continued Examination). | |
| [] | under 37 CFR 1.97(c) together with either: [] a Statement under 37 CFR 1.97(e), as checked below, or | \ |
| | [] a \$180.00 fee under 37 CFR 1.17(p), or (After the 37 CFR 1.97(b) time period, but before final action or notice of allowance, whichever occurs first) | |
| [] | under 37 CFR 1.97(d) together with: | |
| | [] a Statement under 37 CFR 1.97(e), as checked below, and | |
| | [] a \$180.00 fee under 37 CFR 1.17(p), or (Filed after final action or notice of allowance, whichever occurs first, but on or before payment of the issue fee) | |
| [] | under 37 CFR 1.97(i): Applicant requests that the IDS and cited reference(s) be placed in the appl (Filed after payment of issue fee) | ication filewrapper. |

[X]

Statement Under 37 CFR 1.97(e) Each item of information contained in this Information Disclosure Statement was first cited in [] any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this Information Disclosure Statement; or ſl No item of information contained in this Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the undersigned, after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in 37 CFR 1.56(c) more than three months prior to the filing of this Information Disclosure Statement. Statement Under 37 CFR 1.704(d) (Patent Term Adjustment) Applies to original applications (other than design) filed on or after May 29, 2000 Each item of information contained in the Information Disclosure Statement was cited in a [] communication from a foreign patent office in a counterpart application and this communication was not received by any individual designated in § 1.56(c) more than thirty days prior to the filing of the Information Disclosure Statement. Enclosed herewith is form PTO-1449: [X]Copies of the cited references are enclosed. (AA-AK; AA2-AI2; AL-AO; AR-AZ; AR2-AZ2; AR3-[X]AZ3; AR4-AZ4; AR5-AT5) Copies of cited references are enclosed except those entered in prior application, U.S. []], to which priority under 35 U.S.C. 120 is claimed. [The earlier Application No. [application contains copies of the cited references.] The listed references were cited in the enclosed International Search Report in a []counterpart foreign application. [X]The "concise explanation" requirement (non-English references) for references AO, AS3, AT3 and AZ4 under 37 CFR 1.98(a)(3) is satisfied by: the explanation provided on the attached sheet. the explanation provided in the Specification. submission of the enclosed International Search Report. []

the enclosed English language abstract.

| [] | Appli | cant requests that the following n | on-published pending appli | cations be considered: | | | |
|------------------------|---|---|--|--|--|--|--|
| Examiner's Initials | i. | | | | | | |
| | | U.S. Patent Application No. [|], by [inventor(s)], filed [|], Docket No.: [] | | | |
| | | U.S. Patent Application No. [|], by [inventor(s)], filed [|], Docket No.: [] | | | |
| | | U.S. Patent Application No. [|], by [inventor(s)], filed [|], Docket No.: [] | | | |
| | | Examiner | Date | <u> </u> | | | |
| | [] | A copy of each above-cited app | olication, including the curre | ent claims, is enclosed. | | | |
| | [] | A copy of each above-cited app those entered in prior application 35 U.S.C. 120 is claimed. | olication, including the curre on, U.S. Application No. [| ent claims, is enclosed, except], to which priority under | | | |
| | | r is requested to return a copy of re considered with the next offic | | plications indicating which | | | |
| It is re | quested | that the information disclosed h | erein be made of record in t | his application. | | | |
| Metho | d of pa | yment: | | | | | |
| [] | A cheaccom | ck for the fee noted above is enclapanying Reply. A copy of this S | osed, or the fee has been inditatement is enclosed. | cluded in the check with the | | | |
| [] | | lease charge Deposit Account 08-0380 in the amount of \$[]. A copy of this Statement is nclosed. | | | | | |
| [X] | Please charge any deficiency in fees and credit any overpayment to Deposit Account 08-0380. | | | | | | |
| | | R | Respectfully submitted, | | | | |
| | | H | IAMILTON, BROOK, SMI | TH & REYNOLDS, P.C. | | | |
| | | E | Jacqueline M. Arendt Registration No.: 43,474 Telephone: (781) 861-6240 Facsimile: (781) 861-9540 | e M. arenelf | | | |

Lexington, Massachusetts 02421-4799 Dated:

8-15-01

X

::ODMA\MHODMA\iManage;166128;1 Sheet 1 of 4 ATTORNEY DOCKET NO. PTO-1349 REPRODUCED APPLICATION NO. 3066.1000-001 09/810,939 EINE RMATION DISCLOSURE CITATION APPLICANT IN AN APPLICATION Mary Capelli-Schellpfeffer 製 August 15, 2001 LUG 1 7 2001 FILING DATE March 16, 2001 1615 (Use Several sheets if necessary) TRADEM! U.S. PATENT DOCUMENTS EXAM-SUB-FILING DATE DOCUMENT INER NUMBER DATE NAME CLASS CLASS TF INI-APPROPRIATE TIAL Apr 5, 1938 Hall 260 111 2,113,374 AB Dec 31, 1968 128 268 3,419,006 Kina АC 128 284 3,664,343 May 23, 1972 Assarsson Apr 2, 1974 AD 3,800,792 McKnight et al. 128 156 ΑE 3,993,551 Nov 23, 1976 204 159.14 Assarsson et al. AF Reller 424 234 4,126,681 Nov 21, 1978 AG 4,552,138 Nov 12, 1985 Hofeditz et al. 128 156 AH 4,646,730 728 156 Mar 3, 1987 Schonfeld, et al. ΑI 4,659,700 Apr 21, 1987 Jackson 514 55 AJ 128 156 4,838,253 Jun 13, 1989 Brassington et al. ΑK Mar 20, 128 156 4,909,244 1990 Quarfoot et al. AA2 4,991,574 Feb 12, 1991 Pocknell 128 156 ď AB2 523 5,013,769 May 7, 1991 111 Murray et al. AC2 5,132,119 Jul 21, 1992 Lee 424 646 AD2 424 646 5,552,162 Sep 3, 1996 Lee AE2 5,569,678 Oct 29, 1996 Lee 514 654 AF2 5,700,688 Dec 23, 435 287.1 1997 Lee et al. AG2 5,756,350 May 26, 1998 435 325 Lee et al. AH2 646 5,902,609 May 11, 1999 Lee 424 AI2 3,119,739 Jan 28, 1964 Campbell 167 58 FOREIGN PATENT DOCUMENTS DOCUMENT DATE COUNTRY CLASS SUB-TRANSLATION NUMBER CLASS YES NO 11 Oct 1972 United Kingdom 1,292,503 AM 842,404 27 July 1960 United Kingdom AN 938,555 18 Dec 1973 Canada

Japan (English Abstract)

DATE CONSIDERED

ΑO

EXAMINER

JP48003364

30 Jan 1973

| INFORMATION DISCLOSURS TRATION IN AN' APPLICATION August 15, 2001 (Use several sheets if necessary) APPLICANT (Use several sheets if necessary) Mercer, N.S.G., "Silicone gel in the treatment of keloid scars," Brit. J. of Plast. Surg., 42(1):83-87 (1989, January). AX2 Ahn, S.T., et al., "Topicl silicone gel: A new treatment for hypertrophic scars," Surg., 106(4):781-787 (1989, October). AX2 Phillips, T.J., et al., "A Randomized Controlled Trial of Hydrocolloid Dressing in the Treatment of Hypertrophic Scars and Keloids," Dermatol. Surg., 22:775-778 (1996). AZ2 Krieger, L.M., et al., "Thermal Response of the Epidermis to Surface Gels," Surg. Forum, 44:738-741 (1993). AZ3 Shetlar, M.R., et al., "The hypertrophic scar: location of glycosaminoglycans within scars," Burns 4(1):14-19 (1977). AZ3 Cinc, M., et al., "Polyethylene glycols as bases for preparing salicylic acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. AX3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AX3 Gstirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). AX4 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AX3 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). | | | AUS 1 7 2001 | 50 100 100 100 100 100 100 100 100 100 1 | | | | Œ | | |
|---|------|---|---|--|-------------------|---------|--------------|-------|----------|-----|
| August 15, 2001 (Dee several sheets if necessary) OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Stc.) March 16, 2001 AM2 Mercer, N.S.G., "Silicone gel in the treatment of keloid scars," Brit. J. of Plast. Surg., 42(1):83-87 (1989, January). AX2 Ahn, S.T., et al., "Topicl silicone gel: A new treatment for hypertrophic scars," Surg., 106(4):781-787 (1989, October). AX2 Phillips, T.J., et al., "A Randomized Controlled Trial of Hydrocolloid Dressing in the Treatment of Hypertrophic Scars and Keloids," Dermatol. Surg., 22:775-778 (1996). AX2 AX3 Shetlar, M.R., et al., "Thermal Response of the Epidermis to Surface Gels," Surg. Forum, 44:738-741 (1993). AX3 Shetlar, M.R., et al., "The hypertrophic scar: location of glycosaminoglycans within scars," Burns 4(1):14-19 (1977). AX3 Cinc, M., et al., "Polyethylene glycols as bases for preparing salicylic acid dinments," Farm. Glas., 27(10):371-376 (1971). English abstract. AX3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AX4 AX4 AX5 AX6 Sctirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). AX4 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AX5 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AX5 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AX6 AX7 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | | | PARADEMARY | 8 7 | | | · | | AUG | REC |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) AM2 Mercer, N.S.G., "Silicone gel in the treatment of keloid scars," Brit. J. of Plast. Surg., 42(1):83-87 (1989, January). AX2 Ahn, S.T., et al., "Topicl silicone gel: A new treatment for hypertrophic scars," Surg., 106(4):781-787 (1989, October). AX2 Phillips, T.J., et al., "A Randomized Controlled Trial of Hydrocolloid Dressing in the Treatment of Hypertrophic Scars and Keloids," Dermatol. Surg., 22:775-778 (1996). AX2 Krieger, L.M., et al., "The hypertrophic scar: location of gels," Surg. Forum, 44:738-741 (1993). AX3 Shetlar, M.R., et al., "The hypertrophic scar: location of glycosaminoglycans within scars," Burns 4(1):14-19 (1977). AX3 Cinc, M., et al., "Polyethylene glycols as bases for preparing salicylic acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. AX3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AX3 Gstirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). AX4 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AX4 Pen, E., "Building a Better Aspirin", Science, 280: 1191-1192, (May, 1998). AX5 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | INFO | IN AN API | PLICATION | ON | | hellpfe | ffer | | - | E |
| AW2 Mercer, N.S.G., "Silicone gel in the treatment of keloid scars," Brit. J. of Plast. Surg., 42(1):83-87 (1989, January). AX2 Ahn, S.T., et al., "Topicl silicone gel: A new treatment for hypertrophic scars," Surg., 106(4):781-787 (1989, October). Phillips, T.J., et al., "A Randomized Controlled Trial of Hydrocolloid Dressing in the Treatment of Hypertrophic Scars and Keloids," Dermatol. Surg., 22:775-778 (1996). AZ2 Krieger, L.M., et al., "Thermal Response of the Epidermis to Surface Gels," Surg. Forum, 44:738-741 (1993). AR3 Shetlar, M.R., et al., "The hypertrophic scar: location of glycosaminoglycans within scars," Burns 4(1):14-19 (1977). AZ3 Cinc, M., et al., "Polyethylene glycols as bases for preparing salicylic acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. AZ3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AZ3 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," Chem. Abstr., 62:6347 (1965). AZ4 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AZ4 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AZ4 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AZ5 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | (Use | | | r) | | | | 600/2 | 2001 | JΛ |
| J. of Plast. Surg., 42(1):83-87 (1989, January). AX2 Ahn, S.T., et al., "Topicl silicone gel: A new treatment for hypertrophic scars," Surg., 106(4):781-787 (1989, October). AX2 Phillips, T.J., et al., "A Randomized Controlled Trial of Hydrocolloid Dressing in the Treatment of Hypertrophic Scars and Keloids," Dermatol. Surg., 22:775-778 (1996). AX2 Krieger, L.M., et al., "Thermal Response of the Epidermis to Surface Gels," Surg. Forum, 44:738-741 (1993). AX3 Shetlar, M.R., et al., "The hypertrophic scar: location of glycosaminoglycans within scars," Burns 4(1):14-19 (1977). AX3 Cinc, et al., "Polyethylene glycols as bases for preparing salicylic acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. AX3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AX3 Gstirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). AX4 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AX4 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AX5 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AX9 Pen, E., "Building a Better Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | | |
| hypertrophic scars," Surg., 106(4):781-787 (1989, October). AV2 Phillips, T.J., et al., "A Randomized Controlled Trial of Hydrocolloid Dressing in the Treatment of Hypertrophic Scars and Keloids," Dermatol. Surg., 22:775-778 (1996). AZ2 Krieger, L.M., et al., "Thermal Response of the Epidermis to Surface Gels," Surg. Forum, 44:738-741 (1993). AZ3 Shetlar, M.R., et al., "The hypertrophic scar: location of glycosaminoglycans within scars," Burns 4(1):14-19 (1977). AZ3 Cinc,M., et al., "Polyethylene glycols as bases for preparing salicylic acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. AZ3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AU3 Gstirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). AV3 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AW3 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AV3 Pen, E., "Building a Better Aspirin", Science, 280: 1191-1192, (May, 1998). AZ3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | AW2 | | | | | | keloid scar | s," | Brit | • |
| Dressing in the Treatment of Hypertrophic Scars and Keloids," Dermatol. Surg., 22:775-778 (1996). AZZ Krieger, L.M., et al., "Thermal Response of the Epidermis to Surface Gels," Surg. Forum, 44:738-741 (1993). AR3 Shetlar, M.R., et al., "The hypertrophic scar: location of glycosaminoglycans within scars," Burns 4(1):14-19 (1977). AS3 Cinc, M., et al., "Polyethylene glycols as bases for preparing salicylic acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. AT3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AUJ Gstirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). AV3 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AW3 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AX3 Poners, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | AX2 | | | | | | | | | |
| Gels," Surg. Forum, 44:738-741 (1993). AR3 Shetlar, M.R., et al., "The hypertrophic scar: location of glycosaminoglycans within scars," Burns 4(1):14-19 (1977). AS3 Cinc,M., et al., "Polyethylene glycols as bases for preparing salicylic acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. AT3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AU3 Gstirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). AV3 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AW3 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AX3 Pen, E., "Building a Better Aspirin", Science, 280: 1191-1192, (May, 1998). AX3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | AY2 | Dressing | Dressing in the Treatment of Hypertrophic Scars and Keloids," Dermatol. | | | | | | | |
| glycosaminoglycans within scars, "Burns 4(1):14-19 (1977). AS3 Cinc,M., et al., "Polyethylene glycols as bases for preparing salicylic acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. AT3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AU3 Gstirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). AV4 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AW3 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AX3 Ponerantz, S., "Building a Better Aspirin", Science,280: 1191-1192, (May, 1998). AX3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | AZ2 | | | | | f the E | pidermis to | Surf | ace | |
| acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. AT3 Luedde, K.H., "Controlling the desorption of salicylic acid from salve bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AU3 Gstirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). AV3 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AW3 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AX4 Pen, E., "Building a Better Aspirin", Science, 280: 1191-1192, (May, 1998). AZ3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | AR3 | Jineciai, | | | | | | | | |
| bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., 40(1):183-187 (1972). English abstract. AU3 Gstirner, F. "Absorption of salicylic acid from modern cintment bases," Chem. Abstr., 62:6347 (1965). AV3 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from cintment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AW3 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AX4 Pen, E., "Building a Better Aspirin", Science, 280: 1191-1192, (May, 1998). AZ3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). | AS3 | Cinc, M., et al., "Polyethylene glycols as bases for preparing salicylic acid ointments," Farm. Glas., 27(10):371-376 (1971). English abstract. | | | | | | | | |
| Chem. Abstr., 62:6347 (1965). AV3 Whitworth, Clyde W., "Effect of various liquids on the diffusion of salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AW3 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AY3 Pen, E., "Building a Better Aspirin", Science, 280: 1191-1192, (May, 1998). AZ3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). AR4 Ehrlich, H.P., "The Physiology of Wound Healing", Advances in Wound | AT3 | bases an | bases and its absorption through the skin," Acta Fac. Med. Univ. Brun., | | | | | | | |
| salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 (1968). Abstract. AW3 Kopp, E. and Ghosh, S., "Inhibition of NF-kB by Sodium Salicylate and Aspirin," Science., 265: 956-58, (August 1994). AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AY3 Pen, E., "Building a Better Aspirin", Science, 280: 1191-1192, (May, 1998). AZ3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). AR4 Ehrlich, H.P., "The Physiology of Wound Healing", Advances in Wound | AU3 | | Gstirner, F. "Absorption of salicylic acid from modern ointment bases," Chem. Abstr., 62:6347 (1965). | | | | | | | |
| Aspirin, "Science., 265: 956-58, (August 1994). AX3 Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). AY3 Pen, E., "Building a Better Aspirin", Science,280: 1191-1192, (May, 1998). AZ3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). AR4 Ehrlich, H.P., "The Physiology of Wound Healing", Advances in Wound | AV3 | salicyli | salicylic acid from ointment bases," J. Pharm. Sci., 57(9):1540-1543 | | | | | | | |
| AY3 Pen, E., "Building a Better Aspirin", Science, 280: 1191-1192, (May, 1998). AZ3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). AR4 Ehrlich, H.P., "The Physiology of Wound Healing", Advances in Wound | AW3 | | | | | | | | | |
| 1998). AZ3 Roberts, S., "Take two: Aspirin", Am. Chem. Society, Modern Drug Discovery, pp. 23-24,27, (Oct. 2000). AR4 Ehrlich, H.P., "The Physiology of Wound Healing", Advances in Wound | AX3 | Pomerantz, J. and Baltimore, D., "A Cellular Rescue Team", Nature, 406: 26-27,29, (July 2000). | | | | | | | | 6: |
| Discovery, pp. 23-24,27, (Oct. 2000). AR4 Ehrlich, H.P., "The Physiology of Wound Healing", Advances in Wound | AY3 | | "Building | a Bette | r Aspirin", Scien | nce,280 | : 1191-1192, | (Ma | y, | |
| | AZ3 | | | | | m. Soci | ety, Modern | Drug | ſ | |
| Ⅱ · | AR4 | | | | | aling", | Advances in | Wou | ınd | |